



PORTABLE SPRAYERS FOR CLEANING AND DISINFECTION



europumps
working with water
ireland

LAVOR
SIMPLY STRONGER

CLEANING AND DISINFECTION NEEDS ARE GROWING

Due to COVID-19 emergency,
the consumer demand for cleaning and disinfection products
IS CONSTANTLY GROWING



**EUROPUMPS HAVE ALL THE
SOLUTIONS TO SATISFY
CONSUMER NEEDS**



SANIX PRO7.5

Cleaning and Disinfection Shoulder pressure sprayer



- Hose and lance handle integrated with the feeding valve
- Telescopic lance with adjustable nozzle MR 1,5 mm
- Battery pack 3,4 Ah
- Power supply for charging the battery
- Funnel with strainer
- Additional nozzle MR 1,0 mm and flat stream nozzle MF 3.0
- Gaskets and silicone grease



COD. 0.005.0011

SANIX PRO 14

Cleaning and Disinfection Knapsack pressure sprayer



Anti-dust
protection

Nozzle with
jet regulation

Soft profiled
straps

Dosing valve
lock




- Hose and lance handle integrated with the feeding valve
- Telescopic lance with adjustable nozzle MR 1,5 mm
- Battery pack 3,4 Ah
- Power supply for charging the battery
- Funnel with strainer
- Additional nozzle MR 1,0 mm and flat stream nozzle MF 3.0
- Gaskets and silicone grease

COD. 0.005.0012




europumps
working with water ireland

SANIX PRO22



Nozzle with jet regulation



Three-layer reinforced hose



Operation battery status



Hose reel (250 cm)

Cleaning and Disinfection Trolley pressure sprayer




- Hose (250 cm) and lance handle integrated with the feeding valve
- Telescopic lance with adjustable nozzle MR 1,5 mm
- Battery pack 3,4 Ah
- Power supply for charging the battery
- Funnel with strainer
- Additional nozzle MR 1,0 mm and flat stream nozzle MF 3.0
- Gaskets and silicone grease



COD. 0.005.0013

SANIX PRO 18M



Nozzle with jet regulation



Adjustable handle height.



Anti-dust protection



Dosing valve lock



Wide durable wheels.

Cleaning and Disinfection pressure sprayer



- Safety valve, hose with springs and feeding valve integrated with handle.
- Telescopic lance with adjustable nozzle MR 1,5 mm.
- Funnel with strainer.
- Additional nozzle MR 1,0 mm.
- Silicone grease.

COD. 0.005.0014




**"PLUS" THAT MAKE
THE DIFFERENCE**



LITHIUM-ION BATTERIES

Our sprayers develop together with the latest technology, which is why we use the most modern power sources. Our lithium-ion batteries have been created to minimize the weight and use the available energy most efficiently.




MICROPROCESSOR CONTROL

Control, security, and optimization – in our sprayers, all this is operated by the microprocessor. Thanks to advanced algorithms, our sprayers use batteries more efficiently and save energy, so you can work longer.



"APS SYSTEM" ANTI DUST PROTECTION

All telescopic lances are equipped with APS dust protection to prevent the entry of contaminants inside the lance. Thanks to such a solution, they are considered to be one of the most reliable devices of this type on the market.





DOSING VALVE LOCK

The dosing valve, integrated with the handle, allows for a more comfortable work. The lock reduces the strain on the hand muscles during long work with the sprayer. Pressing and moving the dosing valve button forward, locks it in the open position without having to hold the button.





INSTANT CHARGING

Our modern batteries are ready to use whenever you need them. The quick charger limits the charging time to the minimum necessary. We value your time, that's why instant charging is our standard.



THREE-LAYER REINFORCED HOSE

All hoses in our sprayers are equipped with additional internal reinforcement, increasing resistance to pressure and external factors. Our hoses are resistant to bending, cracking, and stretching. The three-layer construction is quality without compromise.



NOZZLE WITH JET REGULATION

Nozzles in our sprayers have a smooth adjustment of the spray angle from a very wide to a single jet.

AFTER-USE PRECAUTIONS:

1 - SPRAY 2 LT (0.5 GALLON) CLEAN WATER.
LANCE MUST BE EXTENDED

2 - ONLY STORE THE SPRAYER IF EMPTY

3 - DO NOT INSTALL THE BATTERY IF LOW

4 - REGULAR INSPECTION AND THROUGHOUT
MAINTENANCE REQUIRED IN CASE OF USE
WITH AGGRESSIVE CHEMICALS



ARE YOU INTERESTED IN OUR PRODUCTS?

info@lavor.com



LAVOR

SIMPLY STRONGER